



**Torsion Times Technical Index**

Compiled by Lindsay Bramall

Updated current edition of this index is available by E-mail from [fixoclock@yahoo.co.uk](mailto:fixoclock@yahoo.co.uk)

( Volume I, No. 1, 1996 to Volume XIII, 2008 )

**Press CTRL-F to Search**

| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
|--|------------|------------|-------------|
| 100-day clocks by New Master                                 | V          | 3          | 72          |
| 1885 International Inventions Exhibition                     | X          | 3          | 7-10        |
| 1885 International Inventions Exhibition                     | X          | 4          | 8           |
| 1888-1902. The torsion clock situation in this period        | X          | 4          | 19-22       |
| 400-day clock collecting                                     | VII        | 4          | 16-21       |
| 400-day clock escapement adjusting                           | X          | 2          | 9-16        |
| 400-day clock fork   | X          | 3          | 10-12       |
| 400-day clock Look-a-likes.                                  | VIII       | 1          | 5, 6        |
| 400-day clock museum, Mainhardt, Germany                     | XI         | 1          | 7-13        |
| 400-day clock repairs  | IX         | 1          | 21-24       |
| 400-day clock running duration trial                         | VIII       | 1          | 26          |
| 400-day clock running history over 43 years                  | VIII       | 2          | 26-27       |
| 400-day clock service and repair.                            | V          | 4          | Supplement  |
| 400-day clock timing   | XII        | 2          | 19-20       |
| 400-day clock, "running in".                                 | IV         | 4          | 120         |
| 400-day clock, the smallest                                  | VIII       | 4          | 12-14       |
| 400-day striking clock patents                               | X          | 2          | 19-21       |
| 400-Day striking clock problems                              | X          | 1          | 13-18       |
| 400-day Table Striker  | VII        | 4          | 9-13        |
| 43 years of running records for a Schatz clock               | VIII       | 2          | 26-27       |
| 4-ball pendulum first made.                                  | V          | 4          | 100         |
| 4-glass cased 400-day clock, case restoration                | XI         | 4          | 11-17       |
| 4-glass cased striking 400-day clock                         | XII        | 1          | 6,7         |
| 50 years of the Horolovar Repair Guide                       | X          | 1          | 10-13       |
| 500-day sub-midget clock                                     | I          | 2          | 34,35       |
| 507 model from Gustav Becker                                 | X          | 2          | 16-18       |
| A. C. Becken by Kern & Link                                  | VI         | 2          | 37,38       |
| Acorn pendulum, Kienzle miniature clock                      | II         | 1          | 15-18       |
| Adjustable bottom block, Badische                            | II         | 4          | 7           |
| Adjustable pallets in Schatz mini                            | VI         | 2          | 38          |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Adjusting 400-day 4 ball and disc pendulums for time keeping | III        | 2          | 58,59       |
| Adjusting hands on 400-day clocks                            | X          | 4          | 9-12        |
| Adjusting suspension spring size                             | IX         | 3,4        | 27          |
| Adjusting the 400-day clock escapement                       | X          | 2          | 9-16        |
| Adjusting your suspension fork                               | IV         | 2          | 59          |
| Advertising for early Atmos clocks, Part 1                   | XII        | 2          | 10, 11      |
| Advertising for early Atmos clocks, Part 2                   | XII        | 3          | 11-13       |
| Advertising for early Atmos clocks, Part 3                   | XII        | 4          | 12-14       |
| Akribie clock by Badische Uhrenfabrik                        | IX         | 3,4        | 6-11        |
| Altitude effect on Atmos bellows                             | VII        | 4          | 22-23       |
| Anchor pin adjustment, Kundo miniature                       | II         | 4          | 11          |
| Anchor pin and fork relationship                             | I          | 4          | 9-11        |
| Anchor pin depthing and fork tines                           | I          | 1          | 4,5         |
| Anchor pin, Kienzle miniature.                               | V          | 4          | 99,100      |
| Angel columned JUF clock c1906-8                             | X          | 1          | 18,19       |
| Angemeldet   | I          | 3          | 4           |
| Anniversary & torsion clock exhibition, NAWCC Museum 2007    | XII        | 2          | 4, 5        |
| Anniversary Clock book, by Peter Wotton.                     | IV         | 3          | 71          |
| Anniversary clock by Bowler and Burdick Co.                  | II         | 4          | 9           |
| Anniversary clock, Bowler and Burdick                        | I          | 3          | 4,5         |
| Anniversary clocks, Bowler and Burdick 1906 catalog.         | IV         | 4          | Supplement  |
| Anniversary clocks, Bowler and Burdick.                      | IV         | 4          | 97          |
| Ansonia "candlestick" Terry pat. 1852 Clock                  | VI         | 1          | 21-24       |
| Ansonia 400-day wall clock                                   | II         | 2          | 5           |

|  |            |            |             |
|--|------------|------------|-------------|
| Ansonia movement torsion clock, Libra VI                               | VIII       | 3          | 18-21       |
| Ansonia torsion clock to Terry patent 1852                             | VI         | 1          | 21-24       |
| Ansonia torsion pendulum clock   | III        | 1          | 6           |
| Anton Harder experimental 400 day clock, Graham escapement             | I          | 3          | 7-10        |
| Anton Harder, US patent no. 269052                                     | II         | 2          | 9           |
| Art Deco Reutter Atmos I, Model FJ1                                    | XI         | 4          | 8-10        |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Art deco style Atmos I clock   | IV         | 2          | 48-49       |
| Art Moderne model LG4, Atmos.  | V          | 4          | 105,106     |
| Assembling the 400-day clock   | III        | 4          | 115-119     |
| Atmos 526 repair tips.   | IV         | 4          | 115,116     |
| Atmos 88 and Atlantis model clocks                                     | III        | 3          | 80,81       |
| Atmos Art Moderne model LG4.   | V          | 4          | 105,106     |
| Atmos beat rate, suspension spring and pendulum.                       | V          | 1          | 18-20       |
| Atmos bellows and altitude effect                                      | VII        | 4          | 22-23       |
| Atmos bellows testing and replacement                                  | III        | 3          | 81-83       |
| Atmos by J L Reutter   | IX         | 3,4        | 11-16       |
| Atmos caliber 519 clock  | III        | 1          | 18,19       |
| Atmos calibre 528/1 square dial  | III        | 2          | 50,51       |
| Atmos calibre  | XIII       |            | 16-21       |
| Atmos clock care   | III        | 4          | 120-123     |
| Atmos clock dating   | II         | 3          | 83          |
| Atmos clock dating   | IV         | 1          | 18          |
| Atmos clock engraved "Bee", "Fish", "Caravelle", and "Chinese" motifs. | IV         | 3          | 81,82       |
| Atmos clock fork overbanking   | III        | 1          | 19          |
| Atmos clock hints  | II         | 3          | 15,16       |
| Atmos clock information on Internet                                    | III        | 2          | 51,52       |
| Atmos clock replacement suspension spring.                             | IV         | 3          | 82          |
| Atmos clock runs fast ?  | VII        | 4          | 22          |
| Atmos clock serial number enquiry                                      | III        | 1          | 19,20       |
| Atmos clock setting with a Timetrax 350                                | IV         | 1          | 18,19       |
| Atmos clock story  | II         | 4          | 19,20       |
| Atmos clock with engraved panels.                                      | IV         | 3          | 81,82       |
| Atmos clock, model PO 1.   | V          | 1          | 17          |
| Atmos clock, placing in beat   | IV         | 2          | 50          |
| Atmos clocks, basic information  | IX         | 2          | 14-16       |
| Atmos clocks. What makes them run?                                     | V          | 2          | 51,52       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Atmos coil spring problem  | IV         | 2          | 50-51       |
| Atmos du millenaire (of the millennium).                               | IV         | 4          | 114,115     |
| Atmos first prototype, Jean-Leon Reutter.                              | IV         | 4          | 116         |
| Atmos I Model c1935, Reutter   | VI         | 2          | 46,47       |
| Atmos I series movements   | III        | 2          | 52,53       |
| Atmos I, art deco style clock  | IV         | 2          | 48-49       |
| Atmos I, Model RB1   | III        | 4          | 119,120     |
| Atmos I, Reutter, Art Deco, Model FJ1                                  | XI         | 4          | 8-10        |
| Atmos II clocks  | IV         | 1          | 17-18       |
| Atmos in art deco wooden case.   | V          | 2          | 50,51       |
| Atmos Jubilee model  | V          | 3          | 78          |
| Atmos mainspring winding.  | IV         | 4          | 16,117      |
| Atmos Mysterieuse - 2003, 75th anniversary model                       | X          | 1          | 4-9         |
| Atmos parts procurement: Part 1: Current situation                     | VI         | 2          | 48,49       |
| Atmos parts, finding.  | V          | 4          | 106,107     |
| Atmos regulation with TimeTrax® 350.                                   | IV         | 3          | 83          |
| Atmos Regulator 2002, Calibre 580.                                     | VIII       | 1          | 8-10        |
| Atmos Reutter clock, checking it out.                                  | X          | 4          | 24-26       |
| Atmos Reutter I, K1/K2 "Jubilee" models                                | XI         | 3          | 9-11        |
| Atmos Reutter Model GM1 Rene Fontaine                                  | XI         | 2          | 9,10        |
| Atmos runs too fast  | XI         | 4          | 10,11       |
| Atmos suspension springs material.                                     | V          | 1          | 18          |
| Atmos timing and lubrication. Part 1. Manual Timing                    | VI         | 1          | 18          |
| Atmos timing and lubrication. Part 2: Electronic timing                | VI         | 2          | 47,48       |
| Atmos timing and lubrication. Part 3. Lubrication                      | VI         | 3          | 79-80       |
| Atmos with a dome.   | V          | 1          | 17          |
| Atmos won't run  | XII        | 1          | 11,12       |
| Atmos, early advertising, Part 1                                       | XII        | 2          | 10, 11      |
| Atmos, early advertising, Part 2                                       | XII        | 3          | 11-13       |
| Atmos, early advertising, Part 3                                       | XII        | 4          | 12-14       |

| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
|--|------------|------------|-------------|
| Atmos, early advertising, Part 4                                       | XIII       |            | 14-16       |
| Atmos, for Gruen, c.1955   | VI         | 3          | 78,79       |
| Atmos, Reutter catalogues  | XII        | 1          | 10,11       |
| Atmos, Reutter model PX1, c.1931                                       | VI         | 1          | 17,18       |
| Australian Regional Sept29 – Oct 1, 2007                               | XII        | 3          | 5-7         |
| Badische ( Lunar ) 30-day clock  | III        | 1          | 24-26       |
| Badische clocks  | III        | 2          | 40-42       |
| Badische suspension block and more                                     | II         | 4          | 7,8         |
| Badische Uhrenfabrik clock   | II         | 1          | 7           |
| Badische Uhrenfabrik fork  | II         | 3          | 18          |
| Badische Uhrenfabrik wall clock Akribie.                               | IX         | 3,4        | 6-11        |
| Badische, Kienzle and Huber 400-day clocks                             | VIII       | 3          | 12-15       |
| Ball pendulum balls  | II         | 4          | 20,21       |
| Barrel hook and teeth repair   | IX         | 1          | 21-23       |
| Barrel on third wheel, Schatz model 49 clocks.                         | XIII       |            | 21-24       |
| Barrel on third wheel, Schatz  | I          | 2          | 4           |
| Barrel on third wheel, Schatz  | I          | 3          | 5,6,7       |
| Barrel repair. Hook and teeth damaged                                  | IX         | 1          | 21-23       |
| Barrel stump slot  | III        | 4          | 106         |
| Barrel stump   | II         | 3          | 16,17       |
| Barrel teeth replacement   | II         | 4          | 21,22       |
| Barrels in Nisshindo 400-day clocks                                    | IV         | 1          | 26          |
| Base cleaning and polishing, brass plated bases                        | XI         | 4          | 17,18       |
| Base for a 400-day clock. Spinning a new brass base.                   | X          | 4          | 30-35       |
| Base, brass. Spinning a new base.                                      | X          | 4          | 30-35       |
| Bases for Haller clocks, brass plated                                  | VIII       | 3          | 22          |
| Bases, cracked, repairing  | XI         | 4          | 18,19       |
| Basic 400-day tips   | IV         | 2          | 47-48       |
| Battery electric torsion clocks 1950's                                 | XI         | 3          | 5,6         |
| Bauer, J. Christian escapement   | III        | 1          | 15-17       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Bauer, J. Christian. Patent DRP 84582                                  | X          | 4          | 21          |
| Beat adjusting suspension bracket on Gustav Becker clocks (R.G. No.8). | IV         | 3          | 79          |
| Beat setting for Atmos clock   | IV         | 2          | 50          |
| Beat setting of 400-day clocks.  | IV         | 4          | 107-111     |
| Beat setting on a fixed saddle clock                                   | X          | 2          | 26-27       |
| Beat setting on a Junghans clock.                                      | V          | 3          | 87          |
| Bechtel, J.B. & Co.  | III        | 1          | 13          |
| Becken (Kundo) clock pendulum problem                                  | III        | 1          | 21-23       |
| Becken 400-day clocks  | III        | 2          | 40          |
| Becken Co. by Kern & Link  | VI         | 2          | 37,38       |
| Becker model 507   | X          | 2          | 16-18       |
| Becker, Gustav, column finial design                                   | I          | 1          | 6           |
| Becker, Gustav, suspension springs and more                            | II         | 3          | 12-15       |
| Becker, Gustav, wall clock   | I          | 4          | 16          |
| Bee engraved panels on Atmos clock.                                    | IV         | 3          | 81,82       |
| Bellows testing and replacement in Atmos clocks                        | III        | 3          | 81-83       |
| Benetfink, London retailer advertisement                               | III        | 4          | 107         |
| Bermuda Carriage, Schatz.  | V          | 4          | 98,99       |
| Bernbrock, John, custom clock case                                     | III        | 2          | 50          |
| Bimetallic pendulum, J.J. Meister                                      | II         | 2          | 10,11       |
| Blueing of steel hands. ( Steel in general ).                          | IV         | 3          | 91,92       |
| Borgfeldt, George, & Co. backplate                                     | III        | 1          | 11          |
| Borgfeldt, George, 400-day clock                                       | II         | 1          | 6           |
| Bowler & Burdick Anniversary clock                                     | I          | 3          | 4,5         |
| Bowler & Burdick clocks  | II         | 2          | 16          |
| Bowler & Burdick   | III        | 1          | 13          |
| Bowler & Burdick, Anniversary clock                                    | I          | 4          | 9           |
| Bowler and Burdick Co. 1906 catalog.                                   | IV         | 4          | Supplement  |
| Bowler and Burdick Co. clocks.   | IV         | 4          | 97          |
| Brass bases. Spinning a new base.                                      | X          | 4          | 30-35       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Brass case waxing vs lacquering.                                       | IV         | 3          | 73          |
| Brass plated base cleaning and polishing                               | XI         | 4          | 17,18       |
| Brass plated Haller clock bases  | VIII       | 3          | 22          |
| Brass, brushed finish corroded, restoration                            | VI         | 1          | 25          |
| Brass-cased Jahresuhrenfabrik clock                                    | III        | 1          | 9           |

|  |            |            |             |
|--|------------|------------|-------------|
| Brushed brass finish, corroded, refinishing                | VI         | 1          | 25          |
| Busse. M. "chaff cutter" escapement patent DRP 31890       | X          | 4          | 20          |
| Calendar clock, J. Link                                    | I          | 3          | 20 -24      |
| Calibre 580 Atmos regulator, 2002.                         | VIII       | 1          | 8-10        |
| Candlestick clock by Ansonia, Terry pat. 1852              | VI         | 1          | 21-24       |
| Capital replacement on an onyx regulator case.             | IV         | 3          | 73,74       |
| Caravelle engraved panels on Atmos clock.                  | IV         | 3          | 81,82       |
| Care of your Atmos   | III        | 4          | 120-123     |
| Case restoration, 4-glass regulator cases                  | XI         | 4          | 11-17       |
| Cases, gilt, cleaning.                                     | V          | 4          | 112,113     |
| Cases, wood. Make your own.                                | V          | 1          | 14-16       |
| Century clock by J.W.Hile                                  | IX         | 1          | 11-15       |
| Century Clock. J.W. Hile                                   | II         | 4          | Supplement  |
| Charles Terwilliger and the Horolovar Repair Guide         | X          | 1          | 10-13       |
| Chemical blueing of steel hands. ( Steel in general ).     | IV         | 3          | 91,92       |
| Chinese engraved panels on Atmos clock.                    | IV         | 3          | 81,82       |
| Chrome plated Jahresuhrenfabrik clock                      | III        | 3          | 88-90       |
| Chromium-did you know about?                               | VII        | 4          | 23          |
| Cleaning brass parts, tumbling machine                     | IV         | 2          | 33          |
| Cleaning gilt cases.                                       | V          | 4          | 112,113     |
| Click cut-out from front plate, Kern & Link                | VI         | 2          | 37,38       |
| Clock (Wall model) won't run. Finally fixed!!!             | V          | 3          | 76,77       |
| Clock bases for Haller clocks, brass plated                | VIII       | 3          | 22          |
| Clock case design / various movements?                     | IV         | 3          | 72,73       |
| Clock plate restoration, damaged                           | XII        | 4          | 23-26       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Clock won't run, possible causes.                          | IV         | 3          | 84-86       |
| Clock won't run. What's wrong?                             | V          | 2          | 53-56       |
| Coehler, Henry, Co. Inc.                                   | IV         | 4          | 107         |
| Coil spring problem in Atmos clocks                        | IV         | 2          | 50-51       |
| Collecting 400-day clocks                                  | VII        | 4          | 16-21       |
| Coloured lacquered etched dial repair                      | XI         | 3          | 6,7         |
| Column finial design, Gustav Becker                        | I          | 1          | 6           |
| Converting rear wind to front wind in a standard movement. | V          | 1          | 27,28       |
| Corkscrewed suspension spring                              | III        | 3          | 84,85       |
| Corroded brushed brass refinishing                         | VI         | 1          | 25          |
| Counting wheel teeth                                       | IX         | 1          | 10          |
| Cracked base repairing                                     | XI         | 4          | 18, 19      |
| Cracked plastic verge in Haller 400-day clock              | IV         | 1          | 20-22       |
| Criteria for "What Clock is that? "                        | I          | 2          | 10          |
| Crystal cased 400-day clocks                               | VI         | 3          | 69          |
| Crystal regulator case, replacement onyx capital.          | IV         | 3          | 73, 74      |
| C-shaped upper suspension block, Huber patent              | IV         | 3          | 73          |
| Cylinder escapement clocks by Gustav Becker                | XI         | 2          | 11-19       |
| Damaged clock plate restoration                            | XII        | 4          | 23-26       |
| Danish electric clock, Telavox                             | VI         | 1          | 9-11        |
| Dating Atmos clocks  | III        | 3          | 83          |
| Dating Atmos clocks  | IV         | 1          | 18          |
| Dating Harder clocks                                       | VIII       | 2          | 12-20       |
| De Gruyter 400-day striking clocks                         | X          | 4          | 12-18       |
| De Gruyter Clock Manufacturing Co                          | X          | 3          | 7-10        |
| De Gruyter German patent 29348                             | X          | 2          | 19-21       |
| De Gruyter UK patent 3724                                  | X          | 2          | 19-21       |
| De Gruyter   | II         | 2          | 13-17       |
| De Gruyter   | III        | 1          | 15          |
| De Gruyter's patent  | III        | 1          | 13          |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| De. Pat project  | VI         | 2          | 39-42       |
| De. Pat project, update 2003                               | VIII       | 1          | 22-23       |
| Definition of Torsion Pendulum clock                       | I          | 3          | 3           |
| Depthing anchor pin and fork tines                         | I          | 1          | 4, 5        |
| Detent escapement striker by Schneckenburger               | X11        | 1          | 12-16       |
| Detent escapement wall striking clock                      | IX         | 3, 4       | 16, 17      |
| Detent ratchet escapement Schneckenburger striker          | XII        | 4          | 14-20       |
| Deutsche Patent Project                                    | VI         | 2          | 39-42       |
| Dial fixing pins in tight places                           | VI         | 1          | 24, 25      |
| Dial restoration.  | VIII       | 1          | 4, 5        |
| Diamond dial Kern 400-day clock                            | II         | 3          | 20-22       |

|   |            |            |             |
|---|------------|------------|-------------|
| Diamond dial on Schatz Model 49                                   | VI         | 2          | 39          |
| Disc pendulum adjusting rod breakage and repair                   | I          | 4          | 6, 7        |
| Disc pendulum development   | II         | 2          | 12-17       |
| Disc pendulum mix up. "The Prodigal Pendulum "                    | II         | 4          | 11          |
| Disc pendulum weight clearance correction washers                 | III        | 3          | 92          |
| Disc pendulum weight modification                                 | III        | 4          | 104-106     |
| Disc pendulum, Franz Vosseler                                     | I          | 4          | 5, 6        |
| Disc pendulum, Harder   | II         | 2          | 12, 13      |
| Disc pendulum, make one.  | VIII       | 4          | 26-29       |
| Disc pendulums  | I          | 3          | 11-14       |
| Disc pendulums. When made??                                       | V          | 3          | 73          |
| DIY suspension guard  | II         | 1          | 10, 11      |
| Dome with hole in top, Schatz standard size clock.                | V          | 1          | 10, 11      |
| Dome, glass mirrored  | VI         | 1          | 6           |
| Domes, glass, suppliers   | III        | 3          | 69          |
| Domes, Old vs New   | VI         | 1          | 11, 12      |
| DRGM and movement numbers   | III        | 2          | 39          |
| DRGM dates  | II         | 4          | 10          |
| DRGM numbers and year   | III        | 2          | 42-44       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| DRGM numbers  | III        | 1          | 12          |
| DRGM numbers  | IV         | 1          | 4           |
| DRP numbers   | III        | 1          | 12          |
| Duplex escapement striking clock by Schneckenburger               | XII        | 2          | 12-15       |
| Duration trial of 400-day clocks                                  | VIII       | 1          | 26          |
| Earthquake damage repairs to Schatz mini                          | VI         | 1          | 19, 20      |
| Eccentric disc (button) replacement                               | VII        | 4          | 13-16       |
| Eccentric nut on 400-day clocks                                   | III        | 1          | 27          |
| Electric (battery) torsion clocks of the 1950's                   | XI         | 3          | 5, 6        |
| Electric circuit diagram for Tiffany Never-Wind                   | IX         | 1          | 18          |
| Electric Danish clock, Telavox                                    | VI         | 1          | 9-11        |
| Electric rewind 400-day clocks.                                   | V          | 2          | 37          |
| Electric rewind torsion pendulum clock, Heinrich Rabe             | IV         | 2          | 34          |
| Electric torsion pendulum clock, Tiffany Never-Wind Style 1100.   | IV         | 4          | 121-125     |
| Electric torsion pendulum clocks, Hanauer Elektrische Uhrenfabrik | IV         | 2          | 34          |
| Electric torsion regulator, Hanauer Elektrische Uhrenfabrik       | VI         | 3          | 73          |
| Electronic timing of Atmos clocks                                 | VI         | 2          | 47, 48      |
| Elgin/Haller's German Time Bomb Clock                             | IX         | 3, 4       | 23, 24      |
| Elinvar alloy   | IX         | 3, 4       | 18-22       |
| Enamelling the pillars and base of a 400-day clock                | VIII       | 1          | 20-22       |
| Engraved Perspex Atmos clock.                                     | IV         | 3          | 81, 82      |
| Escape wheel repair   | IX         | 1          | 23-24       |
| Escapement adjusting in the 400-day clock                         | X          | 2          | 9-16        |
| Escapement flutter in Haller clock                                | II         | 3          | 18, 19      |
| Escapement flutter  | III        | 3          | 85-88       |
| Escapement fluttering in a GB                                     | VI         | 3          | 81-83       |
| Etched enameled aluminium dial relacquering                       | XI         | 3          | 6, 7        |
| Exhibition in Singapore, Sep 5 – 9, 2007                          | XII        | 3          | 8           |
| Exhibition of Anniversary & torsion clocks, NAWCC Museum 2007     | XII        | 2          | 4, 5        |
| Exhibition of torsion clocks, St Louis, October 2003              | IX         | 2          | 6-13        |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Farcot, Emile, statue torsion clock                               | IV         | 2          | 34          |
| Fast running Atmos  | XI         | 4          | 10, 11      |
| Fast running Atmos?   | VII        | 4          | 22          |
| Finger print prevention on movement parts                         | III        | 4          | 129         |
| Finial tab attachment to Gustav Becker clocks.                    | IV         | 3          | 78, 79      |
| First wheel slipping on its arbor, repair                         | XI         | 2          | 22          |
| Fish engraved panels on Atmos clock.                              | IV         | 3          | 81, 82      |
| Fitting a new mainspring to its arbor                             | III        | 2          | 59, 60      |
| Fixed saddle clock, get it back into beat                         | X          | 2          | 26-27       |
| FJ1, Art Deco Reutter Atmos I                                     | XI         | 4          | 8-10        |
| Flutter in the escapement   | III        | 3          | 85-88       |
| Fluttering escapement in a GB                                     | VI         | 3          | 81-83       |
| Forestville anniversary clocks.                                   | V          | 2          | 41          |
| Fork and anchor pin relationship                                  | I          | 4          | 9-11        |
| Fork fitting to the anchor pin                                    | X          | 2          | 22          |
| Fork overbanking in an Atmos clock                                | III        | 1          | 19          |
| Fork positioning and adjustment                                   | X          | 3          | 10-12       |

|   |            |            |             |
|---|------------|------------|-------------|
| Fork positioning  | I          | 2          | 8           |
| Fork tines and anchor pin depthing                                  | I          | 1          | 4, 5        |
| Fork, Badische Uhrenfabrik  | II         | 3          | 18          |
| Fortuna Co.   | I          | 3          | 7           |
| Four (400) hundred day clock term origin                            | III        | 1          | 13          |
| Four ball pendulums by Gustav Becker.                               | IV         | 3          | 77, 78, 90  |
| Four hundred (400) day clock assembly                               | III        | 4          | 115-119     |
| Four hundred (400) day clock information on the Internet            | III        | 2          | 51, 52      |
| Four hundred day clock basic tips                                   | IV         | 2          | 47-48       |
| Four hundred day clock shipping                                     | IV         | 2          | 42          |
| Franz Vosseler miniature disc pendulum                              | I          | 4          | 5, 6        |
| French cased 400-day clocks   | VI         | 3          | 69          |
| French influence on 400-day clocks                                  | III        | 3          | 77-79       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| French patents for torsion pendulum clocks                          | IV         | 2          | 34          |
| Friction in 400-day clocks  | VI         | 2          | 42-46       |
| Front wind conversion of a standard rear wind movement.             | V          | 1          | 27, 28      |
| Furtwangler clock to Jehlin's patent                                | XI         | 3          | 19-22       |
| G.W. & Cie clocks   | III        | 3          | 78          |
| G.W. & Cie wall clock   | I          | 4          | 16          |
| G.W. & Cie  | I          | 3          | 8           |
| GB 400 day clock, correct mainspring                                | XI         | 2          | 19, 20      |
| GB clocks with cylinder escapements                                 | XI         | 2          | 11-19       |
| Gebruder Staiger clock  | III        | 4          | 108,109     |
| German movements in Grivolos clocks                                 | VI         | 3          | 70-72       |
| German patent 29348, De Gruyter                                     | X          | 2          | 19-21       |
| German Patents & Torsion Pendulum Clocks, Part 1, 1877-1945         | VIII       | 1          | 23          |
| German Time Bomb – Haller/Elgin torsion clock look-a-like           | IX         | 3, 4       | 23, 24      |
| German time bomb, Haller clock                                      | VI         | 1          | 19          |
| German Time Bomb. The Haller "400-day" clock                        | V          | 3          | 79-82       |
| Getting a fixed saddle clock back into beat                         | X          | 2          | 26-27       |
| Gilt cases, cleaning.   | V          | 4          | 112,113     |
| Glass case restoration, 4-glass 400-day clock                       | XI         | 4          | 11-17       |
| Glass dome for Kaiser Universe clock                                | III        | 3          | 69          |
| Glass dome stops the clock  | III        | 4          | 124,125     |
| Glass dome suppliers  | III        | 3          | 69          |
| Glass dome, mirrored  | VI         | 1          | 6           |
| Glass domed Atmos, model PO 1.                                      | V          | 1          | 17          |
| Graham escapement, Anton Harder experimental clock                  | I          | 3          | 7-10        |
| Grivolos & Cie 400-day clock  | III        | 3          | 77          |
| Grivolos 1910 catalogue – part translation.                         | VIII       | 1          | 10-13       |
| Grivolos clock movements and back-plates                            | VI         | 4          | 110-118     |
| Grivolos clock picture gallery                                      | VI         | 4          | 105-109     |
| Grivolos clock serial numbers                                       | VI         | 4          | 99-105      |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Grivolos clock suspension, fork, anchor, and pendulum design notes. | VIII       | 1          | 10-13       |
| Grivolos clocks with German movements                               | VI         | 3          | 70-72       |
| Grivolos patents  | VI         | 4          | 102         |
| Grivolos Story. Part 1. His "German" clocks                         | VI         | 3          | 83-89       |
| Grivolos suspension bracket   | VI         | 4          | 97-99       |
| Grivolos temperature compensating pendulum and suspension spring.   | VIII       | 1          | 12-13       |
| Grivolos temperature compensating pendulum                          | XII        | 3          | 14-17       |
| Grivolos, Claude, 1910 Pendule de 400 Jours catalogue               | VI         | 3          | Supplement  |
| Gruen Atmos c.1955 clock  | VI         | 3          | 78, 79      |
| Guards, suspension spring, useful or useless?                       | VIII       | 4          | 22-23       |
| Guillaume, Charles Edouard  | IX         | 3, 4       | 18-22       |
| Gustav Becker 4 ball pendulum, Model 1.                             | IV         | 3          | 77, 78      |
| Gustav Becker 4 ball pendulum, Model 2.                             | IV         | 3          | 77, 78, 90  |
| Gustav Becker beat adjusting suspension bracket ( R.G. No.8 ).      | IV         | 3          | 79          |
| Gustav Becker clock innovations and features.                       | IV         | 3          | 75-81       |
| Gustav Becker clocks by Junghans.                                   | IV         | 3          | 86-91       |
| Gustav Becker clocks with cylinder escapement.                      | V          | 1          | 12          |
| Gustav Becker clocks with lantern pinions.                          | IV         | 3          | 79,80       |
| Gustav Becker column finial design                                  | I          | 1          | 6           |
| Gustav Becker company. A brief history.                             | X          | 3          | 18-19       |
| Gustav Becker cylinder escapement clock                             | X          | 4          | 20          |
| Gustav Becker cylinder escapement clocks                            | XI         | 2          | 11-19       |
| Gustav Becker disc pendulums.                                       | V          | 2          | 42-50       |

|   |            |            |             |
|---|------------|------------|-------------|
| Gustav Becker finial tab attachment                               | IV         | 3          | 78,79       |
| Gustav Becker Freiburg Works serial numbering guide               | X          | 3          | 15-22       |
| Gustav Becker logos   | X          | 3          | 15          |
| Gustav Becker midget skeleton clock                               | XIII       |            | 9-13        |
| Gustav Becker model 507   | X          | 2          | 16-18       |
| Gustav Becker Model 508 clock                                     | IV         | 3          | 88-91       |
| Gustav Becker pallet inspection holes.                            | IV         | 3          | 78          |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Gustav Becker serial numbering sources and systems                | X          | 3          | 19-22       |
| Gustav Becker serial numbering                                    | IV         | 2          | 43-44       |
| Gustav Becker suspension guards.                                  | IV         | 3          | 75,76       |
| Gustav Becker suspension springs and more                         | II         | 3          | 12-15       |
| Gustav Becker torsion clock chronology                            | X          | 3          | 16-18       |
| Gustav Becker wall clock  | I          | 4          | 16          |
| Gustav Becker with lantern pinions.                               | IV         | 3          | 86-91       |
| Gustav Becker, correct mainspring                                 | XI         | 2          | 19,20       |
| Gustav Becker's first torsion clock                               | X          | 3          | 19          |
| Gutenbacher clocks  | VIII       | 3          | 21          |
| H year-going clock  | X          | 4          | 20          |
| Haas - Hauck riddle resolved                                      | XII        | 2          | 18-19       |
| Haas 4-glass with spinning top pendulum                           | III        | 2          | 56-58       |
| Haas, Phillipp or Hauck, Ph ?                                     | IV         | 1          | 11-15       |
| Haller "400-day" clock. The German Time Bomb.                     | V          | 3          | 79-82       |
| Haller clock bases, brass plated                                  | VIII       | 3          | 22          |
| Haller clock servicing  | I          | 4          | 14          |
| Haller clock, the German Time Bomb                                | VI         | 1          | 19          |
| Haller escapement flutter   | II         | 3          | 18,19       |
| Haller mainspring winding   | II         | 3          | 17,18       |
| Haller plastic verge crack repair                                 | IV         | 1          | 20-22       |
| Haller problems   | II         | 3          | 11,12       |
| Haller skeleton clock   | VI         | 1          | 19          |
| Haller, Thomas wall clock   | I          | 4          | 16          |
| Haller/ Elgin's German Time Bomb clock                            | IX         | 3,4        | 23,24       |
| Hanauer Elektrische Uhrenfabrik electric torsion regulator        | VI         | 3          | 73          |
| Hanauer Elektrische Uhrenfabrik                                   | X          | 4          | 20-21       |
| Hanauer Elektrische Uhrenfabrik, electric torsion pendulum clocks | IV         | 2          | 34          |
| Hand washer turning   | IV         | 1          | 26,27       |
| Hands on 400-day clock, adjusting                                 | X          | 4          | 9-12        |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Hands on Kaiser "World" clock                                     | II         | 4          | 12,13       |
| Harder clock dating   | VIII       | 2          | 12-20       |
| Harder clocks research  | IV         | 2          | 38-39       |
| Harder disc pendulum  | II         | 2          | 12,13       |
| Harder Ransen bei Steinau   | I          | 3          | 8           |
| Harder verge escapement wall clock – Part 1.                      | VIII       | 1          | 17-20       |
| Harder verge escapement wall clock – Part 2                       | VIII       | 2          | 9-12        |
| Harder, Anton, experimental 400-day clock, Graham escapement      | I          | 3          | 7-10        |
| Harder, Anton, US patent no. 269052                               | II         | 2          | 9           |
| Harder's patent 400-day clock, Silver medal                       | X          | 3          | 7-10        |
| Harder's patent 400-day clock, Silver medal                       | X          | 4          | 8           |
| Hauck - Haas riddle resolved                                      | XII        | 2          | 18-19       |
| Hauck, Ph or Haas, Phillipp?                                      | IV         | 1          | 11-15       |
| Hauck, Ph. Clock with Turkish dial                                | XII        | 2          | 15-19       |
| Hauck, Ph. Semester Uhr clock                                     | XII        | 2          | 15-19       |
| Hayenga, L.H. "Bert", inventor of Torsion Beat Calibrator.        | IV         | 4          | 112-114     |
| HECO movement in "Louvre" clock.                                  | V          | 4          | 109-112     |
| HECO?   | IV         | 4          | 107         |
| Helmet shaped brass dome clock case, R.G. no. 46.                 | IV         | 3          | 72,73       |
| Henn clock runs too fast  | IX         | 1          | 16-18       |
| Henn has 7.5 beats not 8!   | IX         | 1          | 16-18       |
| Henn, Edgar, miniature clock suspension spring                    | III        | 3          | 77          |
| Henry Coehler Co. Inc.  | IV         | 4          | 107         |
| Herr 400-day clock restoration                                    | VIII       | 4          | 17-22       |
| Heymann, Oscar  | II         | 1          | 6           |
| Hile, J.W., Century Clock   | II         | 4          | Supplement  |
| Hile, J.W., Century clock   | IX         | 1          | 11-15       |
| Hile, John W., torsion pendulum wall clock                        | II         | 4          | 15-18       |
| Hile, John, 30-hour torsion pendulum clock                        | V          | 1          | 18-20       |

|  |            |            |             |
|--|------------|------------|-------------|
| History of Schatz 1881-1981                                      | I          | 1          | Supplement  |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Hole bushing in 400 day clocks                                   | III        | 2          | 53-55       |
| Homemade tools   | I          | 4          | 11-14       |
| Hook holes, mainspring   | I          | 4          | 4           |
| Horolovar Company visit, 2003                                    | VIII       | 4          | 15-17       |
| Horolovar Repair Guide 50th Anniversary                          | X          | 1          | 10-13       |
| Horolovar Repair Guide No.10.                                    | IV         | 2          | 44-45       |
| How many teeth ( in a wheel )                                    | IX         | 1          | 10          |
| How to count wheel teeth   | IX         | 1          | 10          |
| Huber patent licensees.  | IV         | 3          | 73          |
| Huber patented "C" upper suspension block                        | IV         | 3          | 73          |
| Huber patented tubular suspension guard                          | IV         | 3          | 73          |
| Huber Uhren (Badische) clock                                     | III        | 2          | 41-42       |
| Huber Uhren clock with Kienzle pendulum                          | III        | 3          | 70,71       |
| Huber, Andreas, suspension bracket                               | III        | 4          | 108         |
| Huber, Andreas. Manufacture of 400-day clocks                    | X          | 4          | 21-22       |
| Huber, Badische and Kienzle 400-day clocks                       | VIII       | 3          | 12-15       |
| Identifying and dating JUF clocks, 1888-1902                     | X          | 4          | 19-23       |
| Impulse. When does it occur?                                     | II         | 3          | 8           |
| Interchangeable Schatz parts                                     | II         | 2          | 17          |
| Internet site for Atmos and 400-day clock information            | III        | 2          | 51,52       |
| Invar alloy  | IX         | 3,4        | 18-22       |
| J. Link & Co. Neuchatel 400-day clock.                           | V          | 1          | 24-26       |
| J. Link 400-day calendar clock                                   | I          | 3          | 20-24       |
| Jaeger-Lecoultrre contact address and numbers                    | III        | 3          | 84          |
| Jahres-Uhr 1910 catalog  | VII        | 1&2        | Supplement  |
| Jahresuhren-fabrik 1910 Catalogue clock.                         | V          | 1          | 9           |
| Jahresuhren-fabrik clock (Repair Guide No 46) various movements? | IV         | 3          | 72,73       |
| Jahresuhren-fabrik 1905/1910 catalogue                           | III        | 3          | 72-76       |
| Jahresuhren-fabrik 1910 catalogue                                | VII        | 1&2        | Supplement  |
| Jahresuhren-fabrik 24-hour dial Louvre 400 day clock             | II         | 2          | 19-22       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Jahresuhren-fabrik 30-day clock                                  | II         | 1          | 4,5         |
| Jahresuhren-fabrik 400-day striking clock                        | II         | 4          | 13-15       |
| Jahresuhren-fabrik 400-day striking clock                        | VII        | 4          | 9-13        |
| Jahresuhren-fabrik back plate research                           | II         | 1          | 4           |
| Jahresuhren-fabrik brass cased clock                             | III        | 1          | 9           |
| Jahresuhren-fabrik chrome plated clock                           | III        | 3          | 88-90       |
| Jahresuhren-fabrik clock dating, 1888-1902                       | X          | 4          | 19-23       |
| Jahresuhren-fabrik clock from China                              | II         | 4          | 24,25       |
| Jahresuhren-fabrik clock, R.G. no. 46.                           | IV         | 3          | 72,73       |
| Jahresuhren-fabrik clocks research                               | IV         | 2          | 38-39       |
| Jahresuhren-fabrik Model. 197, 1910 catalogue                    | IV         | 2          | 55-59       |
| Jahresuhren-fabrik pendulum identification and dating, 1880-1902 | X          | 4          | 22-23       |
| Jahresuhren-fabrik round plate movements                         | VIII       | 3          | 6-11        |
| Jahresuhren-fabrik striking 400-day clocks                       | XI         | 1          | 14-20       |
| Jahresuhren-fabrik trademarks and logos                          | VII        | 1&2        | 4-6         |
| Jahresuhren-fabrik wall clocks                                   | I          | 4          | 16-20       |
| Japanese 100-day and 400-day clocks by Nisshindo                 | V          | 3          | 72          |
| Japanese 400-day clock mainspring barrels                        | XI         | 1          | 20-21       |
| Japanese 60-day torsion pendulum clock                           | IV         | 1          | 22-26       |
| Jehlin patent clock by Furtwangler                               | XI         | 3          | 19-22       |
| Jehlin patent DRP 2437   | X          | 4          | 19-20       |
| John Hile 30-hour torsion pendulum clock                         | V          | 1          | 18-20       |
| John W. Hile torsion pendulum wall clock                         | II         | 4          | 15-18       |
| Joseph Ives weight driven wooden plate torsion clock             | XI         | 3          | 15          |
| Jubilee K1/K2 models, Reutter Atmos                              | XI         | 3          | 9-11        |
| JUF 400-day striking clock                                       | VII        | 4          | 9-13        |
| JUF clock c1906-8 with angel columns                             | X          | 1          | 18,19       |
| JUF clock dating, 1888-1902                                      | X          | 4          | 19-23       |
| JUF pendulum identification and dating, 1880-1902                | X          | 4          | 22-23       |
| JUF round plate movement clocks                                  | VIII       | 3          | 6-11        |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| JUF stiking 400-day clocks                                       | XI         | 1          | 14-20       |
| Junghans clock beat setting                                      | V          | 3          | 87          |
| Junghans production of Gustav Becker clocks.                     | IV         | 3          | 86-91       |
| Junghans, Gebruber. Patent DRP 31922                             | X          | 4          | 20          |



|   |            |            |             |
|---|------------|------------|-------------|
| K1/K2 "Jubilee" models, Reutter Atmos 1                           | XI         | 3          | 9-11        |
| Kaiser "World " clock   | II         | 1          | 11,12       |
| Kaiser "World " clock, heavy hands                                | II         | 4          | 12,13       |
| Kaiser Universe counter weight                                    | III        | 4          | 128,129     |
| Kaiser Universe glass dome  | III        | 3          | 69          |
| Keeping scratches off small parts                                 | III        | 4          | 128         |
| Kern & Link with click cut-out in front plate                     | VI         | 2          | 37,38       |
| Kern & Sohne "Louvre" model.                                      | V          | 4          | 109-112     |
| Kern & Sohne dating   | VI         | 1          | 13-16       |
| Kern & Sohne pin pallet escapement                                | II         | 4          | 22,23       |
| Kern & Sohne, wooden base clock, for Forestville Clock Co.        | VIII       | 2          | 3,4         |
| Kern diamond dial 400-day clock                                   | II         | 3          | 20-22       |
| Kern electric rewind 400-day clock.                               | V          | 2          | 37          |
| Kern won't run, possible causes.                                  | IV         | 3          | 84-86       |
| Keys, long shank, for Louvre model 400-day clocks                 | IV         | 3          | 92          |
| Kieninger & Obergfell, short history.                             | XII        | 2          | 9           |
| Kienzle " Louvre" model, 1928.                                    | V          | 4          | 109-112     |
| Kienzle "army colored" clock base.                                | V          | 2          | 41,42       |
| Kienzle 4-glass cased clock from England                          | III        | 4          | 106-108     |
| Kienzle clock in R.G no. 46 style case.                           | IV         | 3          | 72,73       |
| Kienzle made Urania clock   | III        | 1          | 8,9         |
| Kienzle mercury pendulum  | II         | 3          | 9,10        |
| Kienzle midget clock  | II         | 2          | 9           |
| Kienzle miniature anchor pin.                                     | V          | 4          | 99,100      |
| Kienzle miniature clock with acorn pendulum                       | II         | 1          | 15-18       |
| Kienzle pendulum  | II         | 1          | 7,8         |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Kienzle pendulum height   | III        | 3          | 68          |
| Kienzle, Badische and Huber 400-day clocks                        | VIII       | 3          | 12-15       |
| Klaus, Keith, custom made torsion clocks                          | XI         | 1          | 11-13       |
| Koh, William, smallest 400-day clock                              | VIII       | 4          | 12-14       |
| Kohler, W. Patent DRP 57492                                       | X          | 4          | 21          |
| Kohler, Wilhelm, escapement                                       | III        | 1          | 15-17       |
| Kuehl, George, & Co.  | III        | 1          | 13          |
| Kundo (Becken) clock pendulum problem                             | III        | 1          | 21-23       |
| Kundo 400-day clock for S.E.G Mattar                              | II         | 3          | 8,9         |
| Kundo 400-day clock from China                                    | III        | 4          | 125-128     |
| Kundo 400-day clock loose pendulum rating disc                    | II         | 4          | 123,124     |
| Kundo clock dating  | III        | 4          | 108-114     |
| Kundo electric rewind 400-day clock                               | V          | 2          | 37          |
| Kundo midget clock  | I          | 3          | 17,18       |
| Kundo miniature anchor pin adjustment                             | II         | 4          | 11          |
| Kundo miniature clock pendulum                                    | III        | 1          | 20,21       |
| Kundo miniature minute hand washer                                | III        | 2          | 55,56       |
| Kundo questions   | III        | 1          | 10          |
| Kundo serial number dating  | VIII       | 1          | 13-17       |
| Kundo, c.1928, with green trimming, i.e. columns, pendulum balls. | V          | 2          | 57-59       |
| Kundo, short history  | XII        | 2          | 9           |
| Kundo. A brief history.   | V          | 2          | 57,58       |
| Kundo-Staiger company merge                                       | III        | 4          | 109         |
| Kundo-Staiger, formerly Kundo.                                    | V          | 2          | 42          |
| Lacquering vs waxing of brass.                                    | IV         | 3          | 73          |
| Lantern pinions in Gustav Becker clock.                           | IV         | 3          | 86-91       |
| Lantern pinions on Gustav Becker clocks.                          | IV         | 3          | 79,80       |
| Lantern pinions.  | V          | 4          | 101-105     |
| LeCoultre calibre 30" A movement                                  | III        | 2          | 53          |
| LeRoy et Cie 400-day clock  | II         | 2          | 10,11       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Letting down mainsprings  | I          | 3          | 18,19       |
| LG4 model Atmos, Art Moderne.                                     | V          | 4          | 105,106     |
| Libra VI, an Ansonia movement torsion clock                       | VIII       | 3          | 18-21       |
| Lighthouse clock by G.L.Thieble                                   | IV         | 2          | 34          |
| Link, J. & Co. Neuchatel 400-day clock.                           | V          | 1          | 24-26       |
| Link, J. 400-day calendar clock                                   | I          | 3          | 20 -24      |
| Long shank keys for Louvre model 400-day clocks                   | IV         | 3          | 92          |
| Look-a-like 400-day clocks.                                       | VIII       | 1          | 5,6         |
| Louvre 24-hour dial Jahresuhrenfabrik 400-day clock               | II         | 2          | 19-22       |
| Louvre model 400-day clock long shank keys                        | IV         | 3          | 92          |

|  |            |            |             |
|--|------------|------------|-------------|
| Lubricant for mainsprings. Slick 50 tm.                          | II         | 4          | 18          |
| Lubricating your clock   | IV         | 1          | 15-17       |
| Luria and Son.   | II         | 1          | 6           |
| Lyre or medusa disc pendulum                                     | X          | 1          | 18,19       |
| Made in West Germany   | V          | 3          | 73-75       |
| Mademoiselle by Schatz   | II         | 4          | 7           |
| Mainhardt Museum, Germany  | XI         | 1          | 7-13        |
| Mainspring barrel stump  | II         | 3          | 16,17       |
| Mainspring barrels in Nisshindo Master 400-day clocks            | XI         | 1          | 20-21       |
| Mainspring fitting to its arbor                                  | III        | 2          | 59,60       |
| Mainspring fitting with needle nose pliers.                      | V          | 1          | 11          |
| Mainspring for Gustav Becker 400-day movement                    | XI         | 2          | 19,20       |
| Mainspring formula   | II         | 2          | 8           |
| Mainspring hook holes  | I          | 4          | 4           |
| Mainspring let down  | I          | 3          | 18,19       |
| Mainspring lubricant, T-PLUS with Teflon                         | I          | 3          | 15          |
| Mainspring lubricant. Slick 50 tm.                               | II         | 4          | 18          |
| Mainspring removal tool  | IV         | 4          | 128         |
| Mainspring replacement in 400-day clocks                         | III        | 2          | 53-55       |
| Mainspring servicing   | I          | 3          | 14-16       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Mainspring sizing  | I          | 4          | 7-9         |
| Mainspring strength measurement                                  | VI         | 1          | 16,17       |
| Mainspring winder, make your own                                 | VIII       | 2          | 20-25       |
| Mainspring winding, Atmos clocks.                                | IV         | 4          | 116,117     |
| Mainspring winding, Haller clock                                 | II         | 3          | 17,18       |
| Mainspring, correct set up                                       | I          | 2          | 8,9         |
| Make a disc pendulum   | VIII       | 4          | 26-29       |
| Make your own mainspring winder                                  | VIII       | 2          | 20-25       |
| Making your own wood cases for 400-day clocks.                   | V          | 1          | 14-16       |
| Manual timing of Atmos clocks                                    | VI         | 1          | 18          |
| Manufacture of 400-day clocks by Huber                           | X          | 4          | 21-22       |
| Master 400-day clock mainspring barrels                          | XI         | 1          | 20-21       |
| Master standard 70 clock from Japan won't run!                   | V          | 2          | 53-56       |
| Mattar, S.E.G., clock  | II         | 3          | 8           |
| Measuring mainspring strength                                    | VI         | 1          | 16,17       |
| Medusa or lyre disc pendulum                                     | X          | 1          | 18,19       |
| Mein Schatz won't run. Faults and repairs.                       | V          | 1          | 22,23       |
| Meister, J.J. bimetallic pendulum                                | II         | 2          | 10,11       |
| Membership directory 1999, Chapter # 168                         | IV         | 2          | Supplement  |
| Mercury motor Atmos, checking it out                             | X          | 4          | 24-26       |
| Mercury pendulum, Kienzle  | II         | 3          | 9,10        |
| Metal spinning. A new brass base for a 400-day clock.            | X          | 4          | 30-35       |
| Metric conversions   | III        | 1          | 9           |
| Metric measurement system  | II         | 1          | 14,15       |
| Midget Gustav Becker skeleton clock                              | XIII       |            | 9-13        |
| Millenaire model, Atmos clock.                                   | IV         | 4          | 114,115     |
| Minute hand washer for Kundo miniature                           | III        | 2          | 55,56       |
| Mirrored glass dome  | VI         | 1          | 6           |
| Movement faults which prevent operation, Schatz example.         | V          | 1          | 22,23       |
| Movement gear mesh problem                                       | II         | 2          | 11,12       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Movement numbers and DRGM  | III        | 2          | 39          |
| Movement oiling  | I          | 1          | 5           |
| Mysterieuse by Atmos, 75th Anniversary model 2003                | X          | 1          | 4-9         |
| National Silver Co.  | II         | 1          | 6           |
| Needle nose pliers for mainspring fitting.                       | V          | 1          | 11          |
| Neuchatel style 400-day clock by J. Link & Co.                   | V          | 1          | 24-26       |
| Never-Wind, Tiffany, Style 1100 electric torsion pendulum clock. | IV         | 4          | 121-125     |
| Never-Wind, Tiffany, suspension spring.                          | IV         | 4          | 103-106     |
| Never-Wind, Tiffany, suspension springs.                         | IV         | 4          | 125-128     |
| New Master 100 day clocks  | V          | 3          | 72          |
| Ni-Span C alloy  | IX         | 3,4        | 18-22       |
| Nisshindo 400-day clock barrels                                  | IV         | 1          | 26          |
| Nisshindo Clock Company  | V          | 3          | 72          |
| Nisshindo mainspring barrels                                     | XI         | 1          | 20-21       |
| Non-Horolovar suspension springs.                                | V          | 1          | 21          |
| Octagonal dial Konrad Mauch (KOMA) clock                         | II         | 2          | 8,9         |

|   |            |            |             |
|---|------------|------------|-------------|
| Oiling the movement   | I          | 1          | 5           |
| Onyx capital replacement on a crystal regulator case.             | IV         | 3          | 73,74       |
| Orbital pendulum clocks   | V          | 3          | 83-87       |
| Origin of the term"400-day clock"                                 | III        | 1          | 13          |
| Overbanking fork in an Atmos clock                                | III        | 1          | 19          |
| Packing clocks for shipment                                       | IV         | 2          | 59-61       |
| Pallet arbor problem in 400-day clock                             | IV         | 1          | 19,20       |
| Pallet inspection holes on Gustav Becker clocks.                  | IV         | 3          | 78          |
| Pallet polishing improves performance                             | VIII       | 4          | 29          |
| Pallets uneven ?  | X          | 2          | 27          |
| Patents for Grivolos clocks                                       | VI         | 4          | 102         |
| Pendule de 400 Jours, Claude Grivolos 1910 catalogue              | VI         | 3          | Supplement  |
| Pendulum 4-ball, first made                                       | V          | 4          | 100         |
| Pendulum development time line 1880 – 1980's                      | XI         | 3          | 7           |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Pendulum evolution from 1880 – 1980's                             | XI         | 3          | 7           |
| Pendulum height in Kienzle 400-day clock                          | III        | 3          | 68          |
| Pendulum impulse  | II         | 3          | 8           |
| Pendulum rate as a function of suspension spring characteristics. | V          | 1          | 19,20       |
| Pendulum rating disc loose on Kundo                               | III        | 4          | 123,124     |
| Pendulum regulation, ball and disc                                | III        | 2          | 58,59       |
| Pendulum wobble – how to fix                                      | XII        | 1          | 17-19       |
| Pendulum, bimetallic by J.J. Meister                              | II         | 2          | 10,11       |
| Pendulum, disc by Harder  | II         | 2          | 12,13       |
| Pendulum, disc development  | II         | 2          | 12-17       |
| Pendulum, Kienzle   | II         | 1          | 7,8         |
| Pendulum, mercury, Kienzle  | II         | 3          | 9,10        |
| Pendulum, spinning top on Haas clock                              | III        | 2          | 56-58       |
| Pendulum, temperature compensating by Grivolos                    | XII        | 3          | 14-17       |
| Pendulums by JUF, 1880-1902                                       | X          | 4          | 22-23       |
| Pendulums on Gustav Becker clocks.                                | V          | 2          | 42-50       |
| Pendulums, unusual creations                                      | IV         | 2          | 44-47       |
| Perspex panels (engraved) on Atmos clock.                         | IV         | 3          | 1,82        |
| Photographing clocks  | III        | 2          | 45,46       |
| Pillar and base enamel restoration                                | VIII       | 1          | 20-22       |
| Pin pallet escapement, Kern & Sohne clock                         | II         | 4          | 22,23       |
| Pin pallet replacement  | II         | 4          | 15          |
| Pin pallets.  | V          | 4          | 101-105     |
| Pivot checker   | III        | 1          | 14          |
| Pivot polishing in 400-day clocks                                 | III        | 2          | 53-55       |
| Placing an Atmos clock in beat                                    | IV         | 2          | 50          |
| Plastic domed Schatz clock  | II         | 4          | 7           |
| Plate restoration, damaged clock                                  | XII        | 4          | 23-26       |
| Pliers for suspension blocks                                      | III        | 1          | 26          |
| Polishing 400-day clocks  | III        | 2          | 46-50       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Pre WWII, post WWII characteristics                               | II         | 1          | 12,13       |
| Rabe, Gebruder. Patent DRP 31362, 35123, 39589                    | X          | 4          | 20-21       |
| Rabe, Heinrich, electric rewind torsion pendulum clock            | IV         | 2          | 34          |
| Rand and Crane, Boston, 400-day clock                             | IV         | 4          | 106         |
| Rear wind to front wind conversion in a standard movement.        | V          | 1          | 27,28       |
| Regulating ball and disc pendulums                                | III        | 2          | 58,59       |
| Regulator 4-glass case restoration                                | XI         | 4          | 11-17       |
| Relacquering etched aluminium dials                               | XI         | 3          | 6,7         |
| Remington Rand  | II         | 4          | 7           |
| Rene Fontaine Atmos Reutter Model GM1                             | XI         | 2          | 9,10        |
| Repainting the pillars and base of a 400-day clock                | VIII       | 1          | 20-22       |
| Repair and service of 400-day clocks.                             | V          | 4          | Supplement  |
| Repair Guide clock no. 46 - Kienzle or Jahresuhrenfabrik.         | IV         | 3          | 72,73       |
| Repair identification   | I          | 2          | 7           |
| Repair tips for Atmos 526.  | IV         | 4          | 115,116     |
| Repair to barrel hook and teeth                                   | IX         | 1          | 21-23       |
| Repair to escape wheel teeth                                      | IX         | 1          | 23-24       |
| Repair to Year clocks   | III        | 4          | Supplement  |
| Repairing a 400-day clock   | IX         | 1          | 21-24       |
| Repairing a Tiffany Never-Wind                                    | VI         | 2          | 51,52       |
| Repairing stress cracked bases                                    | XI         | 4          | 18,19       |
| Replacement of a ruined eccentric disc ( button )                 | VII        | 4          | 13-16       |

|  |            |            |             |
|--|------------|------------|-------------|
| Replacement suspension spring for Atmos clocks.          | IV         | 3          | 82          |
| Replacing and/or thinning suspension springs             | X          | 2          | 22-23       |
| Replacing pin pallets                                    | II         | 4          | 5           |
| Research on French torsion pendulum clock makers         | IV         | 2          | 39-40       |
| Research on Harder-made clocks                           | IV         | 2          | 38-39       |
| Research on Jahresuhrenfabrik clocks                     | IV         | 2          | 38-39       |
| Research questionnaire results                           | II         | 1          | 3,4         |
| Research questionnaire                                   | I          | 3          | 26,27       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Restoration of an Herr 400-day clock                     | VIII       | 4          | 17-22       |
| Restoring corroded brushed brass finish                  | VI         | 1          | 25          |
| Reutter Atmos catalogues                                 | XII        | 1          | 10,11       |
| Reutter Atmos clock, checking it out.                    | X          | 4          | 24-26       |
| Reutter Atmos I Model c1935                              | VI         | 2          | 46,47       |
| Reutter Atmos I, Model FJ1 Art Deco                      | XI         | 4          | 8-10        |
| Reutter Atmos I, models K1/K2 "Jubilee"                  | XI         | 3          | 9-11        |
| Reutter Atmos in burl wood case.                         | V          | 2          | 50,51       |
| Reutter Atmos Model GM1 Rene Fontaine                    | XI         | 2          | 9,10        |
| Reutter Atmos model PX1, c.1931                          | VI         | 1          | 17,18       |
| Reutter Atmos Story                                      | IX         | 3,4        | 11-16       |
| Reutter, Jean-Leon, first Atmos prototype.               | IV         | 4          | 116         |
| RMS trademark 400-day striking clock                     | III        | 1          | 16          |
| Rombach. J. B. weight driven torsion pendulum wall clock | IX         | 3,4        | 6-11        |
| Round plate miniature clock, plate no. 15341             | VIII       | 2          | 4,5         |
| Round plate movements, JUF                               | VIII       | 3          | 6-11        |
| Royal Clock Corporation                                  | II         | 3          | 8,9         |
| Running in a 400-day clock.                              | IV         | 4          | 120         |
| S.B.Terry torsion pendulum clocks                        | VI         | 2          | 52-57       |
| S.E.G. Mattar 400-day clock                              | II         | 3          | 8,9         |
| Schatz "Holey" dome clock.                               | V          | 1          | 10,11       |
| Schatz "Mademoiselle " clock                             | II         | 4          | 7           |
| Schatz 100 year pamphlet, history of                     | I          | 1          | Supplement  |
| Schatz 1000-day suspension spring dilemma                | IV         | 2          | 51-54       |
| Schatz Bermuda Carriage.                                 | V          | 4          | 98,99       |
| Schatz electric rewound 400-day clock.                   | V          | 2          | 37          |
| Schatz interchangeable parts                             | II         | 2          | 17          |
| Schatz jubilee   | I          | 1          | 7           |
| Schatz London Coach suspension spring installation.      | V          | 4          | 107-109     |
| Schatz mini repair after earthquake                      | VI         | 1          | 19,20       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Schatz mini with adjustable pallets                      | VI         | 2          | 38          |
| Schatz Model 49 with diamond dial                        | VI         | 2          | 39          |
| Schatz plastic domed clock                               | II         | 4          | 7           |
| Schatz Standard (Model 49) suspension springs.           | IV         | 4          | 118-120     |
| Schatz third wheel barrelled clocks                      | XIII       |            | 21- 24      |
| Schatz third wheel with barrel                           | I          | 2          | 4           |
| Schatz third wheel with barrel                           | I          | 3          | 5,6,7       |
| Schatz weight driven 400-day clock                       | III        | 1          | 10          |
| Schatz won't run. Faults and repairs.                    | V          | 1          | 22, 23      |
| Schneckenburger detent escapement striker                | XII        | 1          | 12-16       |
| Schneckenburger ratchet detent escapement striker        | XII        | 4          | 14-20       |
| Schneckenburger duplex escapement striking clock         | XII        | 2          | 12-15       |
| Schneckenburger striking wall clock                      | IX         | 3, 4       | 16, 17      |
| Schneckenburger torsion pendulum clocks                  | III        | 1          | 15-18       |
| Schneckenburger verge escapement clock                   | IX         | 1          | 7-10        |
| Schneckenburger wall clock                               | I          | 4          | 16          |
| Schneckenburger, R. torsion clock production             | X          | 4          | 21          |
| Second wheel (first wheel) slipping on its arbor, repair | XI         | 2          | 22          |
| Second wheel slippage                                    | III        | 2          | 60          |
| Selua on dial, Kern & Sohne clock.                       | VIII       | 2          | 3,4         |
| Semester Uhr clock by PH, Ph. Hauck                      | XII        | 2          | 15-19       |
| Serial numbering of Gustav Becker clocks                 | IV         | 2          | 43-44       |
| Service and repair of 400-day clocks.                    | V          | 4          | Supplement  |
| Seth Thomas 400-day clock                                | II         | 3          | 5,6         |
| Seth Thomas torsion pendulum clock                       | III        | 1          | 6           |
| Setting the beat of 400-day clocks.                      | IV         | 4          | 107-111     |
| Setting the beat on a fixed saddle clock                 | X          | 2          | 26-27       |
| Setting the beat on a Junghans clock                     | V          | 3          | 87          |

|   |            |            |             |
|---|------------|------------|-------------|
| Shipping clocks, packing`   | IV         | 2          | 59-61       |
| Shipping of 400-day clocks  | IV         | 2          | 42          |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Silas Terry patent torsion pendulum clock 1852                          | VI         | 1          | 21-24       |
| Silent auction 400day clock catalogue, C. Terwilliger Aug.1986          | II         | 2          | Supplement  |
| Silver medal for Harder's Patent 400-day clock                          | X          | 3          | 7-10        |
| Silver medal for Harder's Patent 400-day clock                          | X          | 4          | 8           |
| Singapore 400-day clock exhibition, Sept 5 – 9, 2007                    | XII        | 3          | 8           |
| Singapore torsion clock exhibition, 2007                                | XII        | 4          | 8-11        |
| Size adjustment for suspension springs                                  | IX         | 3,4        | 27          |
| Skeleton clock, midget Gustav Becker                                    | XIII       |            | 9-13        |
| Slick 50 tm. Mainspring lubricant                                       | II         | 4          | 18          |
| Slick 50 tm.  | II         | 1          | 9           |
| Slipping second wheel ( first wheel ), how to repair                    | XI         | 2          | 22          |
| Smallest 400-day clock  | VIII       | 4          | 12-14       |
| Sokol Montag & Co.  | II         | 1          | 6           |
| Soldering tips  | II         | 3          | 10          |
| Soldering   | II         | 2          | 17-19       |
| Spherical Rombach pendulum  | IX         | 3,4        | 8,9         |
| Spinning a new brass base.  | X          | 4          | 30-35       |
| Spinning top pendulum on Haas 4-glass clock                             | III        | 2          | 56-58       |
| Spring guards, suspension, useful or useless?                           | VIII       | 4          | 22-23       |
| Stahlberg, C. duplex escapement patent DRP 30189.                       | X          | 4          | 20          |
| Staiger, G., novelty torsion pendulum clock                             | IV         | 2          | 34          |
| Staiger, Gebruder clock   | III        | 4          | 108,109     |
| Standard movement rear wind to front wind conversion.                   | V          | 1          | 27,28       |
| Steel hand blueing. ( Steel in general ).                               | IV         | 3          | 91,92       |
| Steinheuer & Rabe electric torsion clock                                | VI         | 3          | 73          |
| Steinheuer and Rabe electric torsion clock                              | X          | 4          | 20-21       |
| Steinheuer,? , electric torsion pendulum clock maker                    | IV         | 2          | 34          |
| Strength test for suspension springs                                    | III        | 3          | 91,92       |
| Stress cracked base repairing   | XI         | 4          | 18,19       |
| Striker by Schneckeburger with detent escapement                        | XII        | 1          | 12-16       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Striking 400-day clock in a 4-glass case                                | XII        | 1          | 6,7         |
| Striking 400-day clock patents  | X          | 2          | 19-21       |
| Striking 400-day clock problems   | X          | 1          | 13-18       |
| Striking 400-day clock  | VII        | 4          | 9-13        |
| Striking 400-day clock, De Gruyter                                      | X          | 4          | 12-18       |
| Striking 400-day Jahresuhrenfabrik clock                                | II         | 4          | 13-15       |
| Striking clock by Schneckeburger with duplex escapement                 | XII        | 2          | 12-15       |
| Striking Jahresuhren-fabrik 400-day clocks                              | XI         | 1          | 14-20       |
| Striking wall clock with detent escapement, Schneckeburger              | IX         | 3,4        | 16,17       |
| Stump for mainspring barrels  | II         | 3          | 16,17       |
| Sub-midget 500-day clock  | VI         | 2          | 34,35       |
| Suspension block for Badische clock and more                            | II         | 4          | 7,8         |
| Suspension block pliers   | III        | 1          | 26          |
| Suspension block, upper, "C", Huber patent.                             | IV         | 3          | 73          |
| Suspension bracket beat adjusting, on Gustav Becker clocks (R.G. No.8). | IV         | 3          | 79          |
| Suspension bracket for Grivolos clock                                   | VI         | 4          | 97-99       |
| Suspension fork adjustment  | IV         | 2          | 59          |
| Suspension fork fitting to anchor pin                                   | X          | 2          | 22          |
| Suspension guard, do it yourself  | II         | 1          | 10-11       |
| Suspension guard, tubular, Huber patent                                 | IV         | 3          | 73          |
| Suspension guards on Gustav Becker clocks.                              | IV         | 3          | 75,76       |
| Suspension mount on Tiffany clock                                       | IV         | 1          | 8,9         |
| Suspension spring characteristics and effect on time rate.              | V          | 1          | 19,20       |
| Suspension spring corkscrewed   | III        | 3          | 84,85       |
| Suspension spring dilemma in 1000-day Schatz clock                      | IV         | 2          | 51-54       |
| Suspension spring for Tiffany Never-Wind clock.                         | IV         | 4          | 103-106     |
| Suspension spring guards – useful or useless?                           | VIII       | 4          | 22-23       |
| Suspension spring installation to Schatz London Coach.                  | V          | 4          | 107-109     |
| Suspension spring material for Atmos clocks.                            | V          | 1          | 18          |
| Suspension spring replacement and/or thinning                           | X          | 2          | 22-23       |
| <b>Subject</b>  | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Suspension spring replacements  | II         | 3          | 12          |
| Suspension spring selection graph                                       | I          | 2          | 17          |
| Suspension spring selection   | I          | 2          | 5-7         |

|  |            |            |             |
|--|------------|------------|-------------|
| Suspension spring size adjusting   | IX         | 3,4        | 27          |
| Suspension spring splicing for 400-day and Atmos clocks.                   | V          | 2          | 60          |
| Suspension spring strength test  | III        | 3          | 91,92       |
| Suspension spring thinning tool  | IV         | 2          | 53          |
| Suspension spring thinning   | III        | 3          | 91          |
| Suspension spring thinning   | VI         | 2          | 50          |
| Suspension springs for Gustav Becker and more                              | II         | 3          | 12-15       |
| Suspension springs for Schatz standard ( Model 49 ) clocks.                | IV         | 4          | 118-120     |
| Suspension springs for Tiffany Never-Wind clocks                           | IV         | 4          | 125-128     |
| Suspension springs for Tiffany Neverwind Cloister National Magnetic clocks | XI         | 3          | 16          |
| Suspension springs, non - Horolovar.                                       | V          | 1          | 21          |
| Suspension springs, Understanding  | X          | 3          | 23-24       |
| Suspension unit assembly   | II         | 1          | 8           |
| Suspension unit assembly.  | V          | 2          | 60,61       |
| Suspension unit, Vosseler 30-day clock                                     | II         | 1          | 8-10        |
| Sylvester pinwheel escapement clock  | IV         | 1          | 4           |
| Symposium, Ward Francillon 2003, The Torsion Clock                         | VIII       | 4          | 8-11        |
| Tapered pins in tight places   | VI         | 1          | 24,25       |
| Telavox, a Danish electric clock   | VI         | 1          | 9-11        |
| Temperature compensating pendulum by Grivolos                              | XII        | 3          | 14-17       |
| Temperature compensating pendulum by Grivolos.                             | VIII       | 1          | 12,13       |
| Temperature compensating suspension spring by Grivolos.                    | VIII       | 1          | 12          |
| Temperature compensation in torsion clocks                                 | VI         | 3          | 74-78       |
| Tensator constant force mainspring   | V          | 3          | 79-82       |
| Tensator mainspring  | II         | 3          | 17,18       |
| Tension washer   | II         | 3          | 18          |
| Tension washers  | I          | 4          | 15          |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Terry torsion pendulum clock, 1852 pat.                                    | VI         | 1          | 21-24       |
| Terry, S. B. torsion pendulum clocks                                       | VI         | 2          | 52-57       |
| Terwilliger, C. silent auction 400-day clock catalogue, Aug. 1986          | II         | 2          | Supplement  |
| The Atmos II clocks, When was it made?                                     | XI         | 3          | 11-15       |
| Thieble, G. L., lighthouse clock   | IV         | 2          | 34          |
| Thinning and fitting replacement suspension springs                        | X          | 2          | 22-23       |
| Thinning suspension springs  | III        | 3          | 91          |
| Thinning suspension springs  | VI         | 2          | 50          |
| Thinning tool for suspension springs                                       | IV         | 2          | 53          |
| Thinning washers for correcting disc pendulum weight clearances            | III        | 3          | 92          |
| Third wheel barrelled Schatz model 49 clocks                               | XIII       |            | 21-24       |
| Thirty (30) hour torsion pendulum clock by J. Hile.                        | V          | 1          | 18-20       |
| Thirty day torsion pendulum clock  | I          | 2          | 11-14       |
| Tiffany lower suspension mount   | IV         | 1          | 8,9         |
| Tiffany Never-Wind electric circuit diagram                                | IX         | 1          | 18          |
| Tiffany Never-Wind repair  | VI         | 2          | 51,52       |
| Tiffany Never-Wind Style 1100 electric torsion pendulum clock.             | IV         | 4          | 121-125     |
| Tiffany Never-Wind suspension spring.                                      | IV         | 4          | 103-106     |
| Tiffany Never-Wind suspension springs.                                     | IV         | 4          | 125-128     |
| Tight suspension fork correction   | X          | 2          | 22          |
| Time Bomb Clock by Haller/Elgin  | IX         | 3,4        | 23,24       |
| Timetrax 350 for Atmos setting   | IV         | 1          | 18,19       |
| TimeTrax® 350 for Atmos regulation.  | IV         | 3          | 83          |
| Timing your 400-day clock  | XII        | 2          | 19-20       |
| Tips on 400-day clocks   | IV         | 2          | 47-48       |
| Tools, homemade  | I          | 4          | 11-14       |
| Tooth counting in a wheel  | IX         | 1          | 10          |
| Tooth straightening  | I          | 2          | 4,5         |
| Torsion and Anniversary clock exhibition, NAWCC Museum 2007                | XII        | 2          | 4, 5        |
| Torsion Beat Calibrator. Inventor: L.H. "Bert" Hayenga.                    | IV         | 4          | 112-114     |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| Torsion clock definition   | I          | 4          | 2           |
| Torsion clock exhibition, Singapore 2007                                   | XII        | 4          | 8-11        |
| Torsion clock exhibition, St Louis, October 2003                           | IX         | 2          | 6-13        |
| Torsion Clock Symposium, Ward Francillon 2003                              | VIII       | 4          | 8-11        |
| Torsion clocks 1888-1902   | X          | 4          | 19-22       |
| Torsion clocks powered by battery 1950's                                   | XI         | 3          | 5,6         |
| Torsion Pendulum clock definition  | I          | 3          | 3           |
| Torsion pendulum clock exhibition, Houston, June 1999                      | IV         | 2          | 35-37       |
| Torsion Pendulum Clock, Ward Francillon Time Symposium, 2003               | VIII       | 4          | 8-11        |

|  |            |            |             |
|--|------------|------------|-------------|
| Torsion pendulum. Is it a pendulum ?                             | II         | 1          | 6           |
| Torsion pendulum. Is it a pendulum?                              | II         | 3          | 11          |
| Torsion pendulum. Is it a true pendulum?                         | I          | 4          | 4           |
| T-PLUS with Teflon mainspring lubricant                          | I          | 3          | 15          |
| Transatlantic Clock Co.  | II         | 1          | 6           |
| Tubular suspension guard, Huber patent                           | IV         | 3          | 73          |
| Tumbling machine for cleaning brass parts                        | IV         | 2          | 33          |
| Turkish dial clock by Ph.Hauck                                   | XII        | 2          | 15-19       |
| Turning up a hand washer   | IV         | 1          | 26,27       |
| Twinkle tm. cleaner for brass clocks                             | IV         | 1          | 10          |
| UK patent 3724, De Gruyter                                       | X          | 2          | 19-21       |
| Ultrasonic cleaning  | I          | 3          | 16,17       |
| Ultrasonic cleaning  | II         | 4          | 8           |
| Uneven pallets   | X          | 2          | 27          |
| Unidentified Japanese 60-day torsion clock                       | IV         | 1          | 22-26       |
| Unknown 400-day wall clock. Vosseler?                            | II         | 2          | 6           |
| Unknown 400-day wall clocks                                      | II         | 3          | 6,7         |
| Unusual pendulum creations                                       | IV         | 2          | 45-47       |
| Urania by Kienzle  | III        | 1          | 8,9         |
| US patent 269052, Anton Harder                                   | II         | 2          | 9           |
| US patent no. 269052, Anton Harder torsion pendulum clock        | II         | 2          | Supplement  |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| US patent number vs date list                                    | X          | 1          | 18          |
| Various movements in similar case designs.                       | IV         | 3          | 72,73       |
| Verge escapement Harder wall clock – Part 1                      | VIII       | 1          | 17-20       |
| Verge escapement Harder wall clock – Part 2                      | VIII       | 2          | 9-12        |
| Verge escapement torsion pendulum wall striker                   | IX         | 1          | 7-10        |
| Vosseler 30-day clock  | II         | 1          | 4,5         |
| Vosseler 30-day suspension unit                                  | II         | 1          | 8-10        |
| Vosseler wall clock?   | II         | 2          | 6           |
| Vosseler, Franz, miniature disc pendulum                         | I          | 4          | 5,6         |
| Wall clock by J B Rombach, weight driven                         | IX         | 3,4        | 6-11        |
| Wall clock with verge escapement by Harder – Part 1              | VIII       | 1          | 17-20       |
| Wall clock with verge escapement by Harder – Part 2              | VIII       | 2          | 9-12        |
| Wall clock, Ansonia  | II         | 2          | 5           |
| Wall clocks, 400-day of unknown origin                           | II         | 3          | 6,7         |
| Wall clocks, 400-day   | I          | 4          | 16-20       |
| Wall striker torsion pendulum verge escapement                   | IX         | 1          | 7-10        |
| Wall striking clock with detent escapement                       | IX         | 3,4        | 16,17       |
| Wall torsion pendulum clock, John W. Hile                        | II         | 4          | 15-18       |
| Ward Francillon Symposium torsion clock exhibition, October 2003 | IX         | 2          | 6-13        |
| Ward Francillon Time Symposium 2003, The Torsion Clock           | VIII       | 4          | 8-11        |
| Waxing vs lacquering on brass.                                   | IV         | 3          | 73          |
| Weak running 400-day clock                                       | VIII       | 4          | 29          |
| Weight driven clock, J.W.Hile                                    | II         | 4          | 15-18       |
| Weight driven Schatz 400-day clock                               | III        | 1          | 10          |
| Weight driven torsion pendulum wall clock of J B Rombach         | IX         | 3,4        | 6-11        |
| Weight driven wooden plate torsion clock by Joseph Ives Welby    | XI         | 3          | 15          |
|  | I          | 3          | 17          |
| When was it made? Part 1. DRGM numbers.                          | II         | 4          | 10,11       |
| When was it made? Part 2. Research into dates.                   | III        | 1          | 11-13       |
| When was it made? Part 3. DRGM numbers.                          | III        | 2          | 42-44       |
| <b>Subject</b>   | <b>Vol</b> | <b>No.</b> | <b>Page</b> |
| When was it made? Part 4. Jahresuhrenfabrik clocks.              | III        | 3          | 72          |
| When was it made? Part 5. Kundo clocks.                          | III        | 4          | 108-114     |
| When was it made? Part 6. Haas or Hauck?                         | IV         | 1          | 11-15       |
| When was it made? Part 7. Horolovar Repair Guide No.10.          | IV         | 2          | 44-45       |
| When was it made? Part 8. Gustav Becker Innovations.             | IV         | 3          | 75-81       |
| When was it made? Part 9. More on Gustav Becker.                 | V          | 1          | 12-14       |
| When was it made?? Part 10. Gustav Becker disc pendulum          | V          | 2          | 42-50       |
| When was it made?? Part 11. Made in West Germany                 | V          | 3          | 73-75       |
| When was it made?? Part 12. Lantern pinions, Pin pallets.        | V          | 4          | 101-105     |
| When was it made?? Part 13. Kern & Sohne dating                  | VI         | 1          | 13-16       |
| When was it made?? Part 14. The De. Pat Project                  | VI         | 2          | 39-42       |
| When was it made?? Part 15. Deutsche Uhrmacher-Zeitung           | VI         | 3          | 72-74       |
| When was it made?? Part 16. Grivolos serial numbers.             | VI         | 4          | 99-105      |
| When was it made?? Part 17. Jahresuhrenfabrik trademarks & logos | VII        | 1&2        | 4-6         |
| When was it made?? Part 18. Kundo serial number dating update.   | VIII       | 1          | 13-17       |

|   |      |     |            |
|---|------|-----|------------|
| When was it made?? Part 19. Dating Harder clocks.                     | VIII | 2   | 12-20      |
| When was it made?? Part 20. The Reutter Atmos Story                   | IX   | 3,4 | 11-16      |
| When was it made?? Part 21. Gustav Becker Freiburg serial numbering   | X    | 3   | 15-22      |
| When was it made?? Part 22. Jahresuhren-Fabrik clock dating 1888-1902 | X    | 4   | 19-23      |
| When was it made?? Part 23. The Atmos II Clocks                       | XI   | 3   | 11-15      |
| Willmann, A. clocks.  | III  | 3   | 78         |
| Willmann, A. Co., Freiberg.   | I    | 3   | 7          |
| Winder for mainsprings, make your own                                 | VIII | 2   | 20-25      |
| Wobbling pendulum – how to fix  | XII  | 1   | 17-19      |
| Wood cases for 400-day clock, make your own.                          | V    | 1   | 14-16      |
| Wooden plate weight driven torsion clock by Joseph Ives               | XI   | 3   | 15         |
| World clock, Kaiser heavy hands.                                      | II   | 4   | 12,13      |
| World clock, Kaiser.  | II   | 1   | 11,12      |
| Year clocks, characteristics and repair.                              | III  | 4   | Supplement |
| Year going clock by H   | X    | 4   | 20         |

---

Close